

EQUIPMENT DIRECTORY

✓ NEWER MACHINE RENTAL INVENTORY

✓ PROMPT DELIVERY

✓ QUICK SERVICE RESPONSE



X



TABLE OF CONTENTS

01

CAT RENTALS Compact Equipment Rental Fleet

Mini Excavators	Sweeper	Attachments	Concrete Buggies
Small Excavators	AG Tractors	Electric Articulating Boom Lifts	Message Board
Small Dozers	Boom Mower	Electric Track Articulating Boom Lifts	Arrow Board
Backhoe Loaders	Broom	Electric Mast Lift	Security Tower
Compact Wheel Loaders	Engine Driven Welder	Towable Manlifts	All-Terrain Vehicles
Small Wheel Loaders	Boom Lift Welder	Rough Terrain Scissor Lift	Air Compressors
Compact Track Loaders	Welder	Nano Scissor Lift	Pumps
Next Gen Compact Track Loaders	Telehandlers	Micro Scissor Lifts	Light Towers
Skid Steer Loaders	Rotating Telehandlers	Scissor Lifts	Water Trailers
Soil Compactors	SkyTrak	On-Road Dump Trucks	Trailers
Asphalt Compactors	Industrial Forklifts	On-Road Water Trucks	Attachments
Motor Grader	Rough Terrain Fork Lift	Off-Road Water Trucks	Location & Phone Numbers
Trenchers	Telescopic Boom Lifts	Off-Road Dump Trucks	
Rollers	Telescopic Boom Lifts Trax	Dumper	
Vibratory Plates	Articulating Boom Lifts	Crash Attenuator Trucks	

11

HEAVY EQUIPMENT Heavy Equipment Rental Fleet

Medium Dozers	Wheeled Excavators	On-Road Water Trucks	Soil Mixers/Reclaimers
Large Dozers	Motor Graders	Off-Road Water Truck	Sweepers
Medium Wheel Loaders	Articulated Trucks	Tractor Scraper	Air Burners
Large Excavators	Soil Compactors	Pavers	Locations & Phone Numbers
Medium Excavators	Pneumatic Compactor	Road Wideners	
Long Reach Excavators	Asphalt Compactors	Remixing Transfer Vehicles	

15

UTILITY | TRUCK | CRANE Utility | Truck | Crane Rental Fleet

Vacuum Trucks	Grapple Trucks	Trailers	Truck Mounted Cranes
Bucket Trucks	Knuckle Boom Cranes	Crawler Cranes	Boom Trucks
Digger Derricks	Work Trucks	All-Terrain Cranes	Industrial Cranes
Rear Easement Machines	Pressure Drill	Rough Terrain Cranes	Locations & Phone Numbers

19

AIR COMPRESSOR Compressed Air Rental Fleet

Portable Electric Air Compressors	Oil Free Air Compressors	Pressure Loss in Air Hoses Chart
Portable Diesel Air Compressors	Compressed Air Dryers	Sandblast Nozzles Air Requirement Charts
Industrial Air Compressors	Air Hose	Locations & Phone Numbers

23

LIFT TRUCKS Lift Trucks Rental Fleet

Large IC Pneumatic Tire Forklifts	Narrow Aisle Electric Forklifts	Electric Order Pickers & Dock Stockers	Attachments
IC Cushion Tire Forklifts	IC Pneumatic Tire Forklifts	Electric Straddle/ Walkie Stackers	Floor Cleaners
Piggybacks & Truck Mounted Forklifts	Very Narrow Aisle/Swivel Mast Forklifts	Electric Pallet Movers	RailCar Movers
3-Wheel Electric Forklifts	Electric Counterbalanced Forklifts	Side Loaders	Locations & Phone Numbers

27

POWER SYSTEMS Power Systems Rental Fleet

Truck Towable	Air Conditioner	Load Banks	Cabinet Breakers
Energy Storage	Heaters	Transformers	I Line Panels
Semi Hauled	Dessicant Dryers	Trailers	Distributon
Chillers	Fuel Tanks	Portable ATS	Cables & Pigtails

EVERYTHING YOU NEED TO MAKE YOUR JOB EASIER

EQUIPMENT

Ring Power® has the Cat® products and equipment you've always trusted for your toughest jobs, plus a growing fleet of other premium brands and attachments. All our equipment is well-maintained, top-quality, low-hour and ready for you when you need it.

EXPERTISE

Our team will help match the right machine to your job application, and complimentary operator training is available on all rentals.

SERVICE

With 24-hour emergency service and a 2-hour average response time on service calls, our Cat® certified technicians will keep your business running day and night.

TECHNOLOGY

Improve productivity and efficiency with telematics including location, hours and fault codes available on 90% of our fleet. We also offer the latest Trimble 3D GPS technology solutions.

AVAILABILITY

With 17 locations throughout North & Central Florida and 5 more locations outside of Florida, we're ready to serve your needs with our fleet of reliable equipment, time-saving delivery options and dependable product support

IT'S ALL HERE

From equipment rentals to expert parts and service support; Ring Power Corporation has everything you need to keep your operation moving. Serving customers across North and Central Florida, we offer a full line of Cat® machines, aerial lifts, generators, and more. Whether you're building, paving, or powering through tough jobs, you'll find the right equipment, backed by the team that knows how to keep it running strong.

RENT IT NOW

COMPACT AND ALLIED EQUIPMENT SOLUTIONS



Ring Power®

CAT
RENTALS™

CAT® MINI EXCAVATORS



301.5	21 HP	3,900 lbs. op. wt.	Max. 8'4" depth/12'11" reach
301.7	21 HP	3,900 lbs. op. wt.	Max. 7'11" depth/12'9" reach
301.8	21 HP	4,450 lbs. op. wt.	Max. 8'5" depth/13'2" reach
302	21 HP	4,800 lbs. op. wt.	Max. 8'6" depth/13'9" reach
303E CR	24 HP	7,400 lbs. op. wt.	Max. 9'0" depth/16'3" reach
303.5E2 CR	24 HP	8,200 lbs. op. wt.	Max. 10'4" depth/17'5" reach
304 CR	40 HP	9,000 lbs. op. wt.	Max. 11'3" depth/18'4" reach
305 CR	40 HP	11,500 lbs. op. wt.	Max. 12' depth/19'1" reach
306 CR	56 HP	15,800 lbs. op. wt.	Max. 13'6" depth/21'11" reach
307.5 <small>SWING BOOM</small>	58 HP	18,150 lbs. op. wt.	Max. 15'3" depth/22'4" reach
308 CR <small>SWING BOOM</small>	70 HP	20,100 lbs. op. wt.	Max. 15'5" depth/24'9" reach
309 CR <small>SWING BOOM</small>	70 HP	21,100 lbs. op. wt.	Max. 15'1" depth/25' reach
310	70 HP	22,500 lbs. op. wt.	Max. 17'1" depth/25' reach

Other available attachments include: Thumb, hammer, auger, plate compactor & ditch bucket

MINI EXCAVATORS WITH MULCHER HEAD

308 CR	70 HP	20,100 lbs. op. wt.	Max. 15'5" depth/24'9" reach
309 CR	70 HP	21,100 lbs. op. wt.	Max. 15'1" depth/25' reach

CAT® SMALL EXCAVATORS



311 RR	70 HP	30,600 lbs. op. wt.	Max. 18'4" depth/26'7" reach
313	74 HP	29,300 lbs. op. wt.	Max. 19'9" depth/28'3" reach
315 CR	97 HP	34,000 lbs. op. wt.	Max. 19'6" depth/28'6" reach
317	130 HP	38,900 lbs. op. wt.	Max. 19'11" depth/28'9" reach
320	153 HP	56,500 lbs. op. wt.	Max. 24'10" depth/35' reach
323	161 HP	51,500 lbs. op. wt.	Max. 24'10" depth/35' reach

Other available attachments include: Thumb, hammer & ditch bucket

CAT® SMALL DOZERS



D1 LGP	80 HP	19,000 lbs. op. wt.	6-Way Blade
D3 LGP	104 HP	22,000 lbs. op. wt.	6-Way Blade

Available attachments include: GPS, Laser AccuGrade™.

D1 MULCHER	104 HP	24,300 lbs. op. wt.	6-Way Blade
-------------------	--------	---------------------	-------------

Equipped with Cat HMS18 mulching head, a closed loop hydrostatic circuit, 72" cutting width and 25" triple grouser tracks.

CAT® BACKHOE LOADERS



420F2/IT	93 HP	24,500 lbs. op. wt.	Std. depth 14'4"/E-Stick 17'11"
-----------------	-------	---------------------	---------------------------------

Available attachments include: Ditch buckets, forks, E-Sticks, hydraulic hammers. Backhoe bucket sizes: 12" to 36" Fork length: 48"

CAT® COMPACT WHEEL LOADERS



Based on Straight Load with bucket attached.

903D	40 HP	9,200 lbs. op. wt.	5,440 lbs tip load/2,720 lbs capacity
906	68 HP	12,500 lbs. op. wt.	9,200 lbs tip load/4,600 lbs capacity
908	68 HP	14,300 lbs. op. wt.	10,200 lbs tip load/5,100 lbs capacity

Available attachments include: Booms, buckets, forks, material handling arms, rakes.

CAT® SMALL WHEEL LOADERS



Based on Straight Load with bucket attached.

914M	92 HP	18,200 lbs. op. wt.	12,450 lbs tip load/6,225 lbs capacity
920	120 HP	23,400 lbs. op. wt.	15,382 lbs tip load/7,691 lbs capacity
926M	146 HP	28,500 lbs. op. wt.	19,380 lbs tip load/9,690 lbs capacity
930M	164 HP	31,000 lbs. op. wt.	21,900 lbs tip load/10,950 lbs capacity

CAT® COMPACT TRACK LOADERS



239D3	67 HP	7,400 lbs. op. wt.	4,100 lbs. tip load/2,050 lbs. capacity
249D3	67 HP	7,800 lbs. op. wt.	4,600 lbs. tip load/2,300 lbs. capacity
259D3	73 HP	8,900 lbs. op. wt.	5,800 lbs. tip load/2,900 lbs. capacity
279D3	73 HP	9,900 lbs. op. wt.	5,870 lbs. tip load/2,935 lbs. capacity
289D3	73 HP	10,800 lbs. op. wt.	7,600 lbs. tip load/3,800 lbs. capacity
299D3	95 HP	10,800 lbs. op. wt.	8,500 lbs. tip load/4,250 lbs. capacity
299D3 XHP	106 HP	11,800 lbs. op. wt.	9,100 lbs. tip load/4,550 lbs. capacity
255	73 HP	9,600 lbs. op. wt.	7,140 lbs. tip load/3,570 lbs. capacity
265	73 HP	10,500 lbs. op. wt.	8,066 lbs. tip load/4,033 lbs. capacity
275	111 HP	12,401 lbs. op. wt.	11,874 lbs. tip load/5,937 lbs. capacity
285	111 HP	13,497 lbs. op. wt.	12,745 lbs. tip load/6,372 lbs. capacity
RT-40*	37 HP	4,175 lbs. op. wt.	2,660 lbs. tip load/1,300 lbs. capacity

* ASV Compact Track Loader



WACKER NEUSON TRACK LOADER



SM100	24.7 horse power	35.5" width	3,300 lbs. op. wt.
--------------	------------------	-------------	--------------------



CAT® SKID STEER LOADERS



226D3	56 HP	6,000 lbs. op. wt.	3,000 lbs. tip load/1,500 lbs. capacity
242D3*	73 HP	7,000 lbs. op. wt.	4,300 lbs. tip load/2,150 lbs. capacity
246D3**	73 HP	7,500 lbs. op. wt.	4,300 lbs. tip load/2,150 lbs. capacity
262D3***	73 HP	8,100 lbs. op. wt.	5,400 lbs. tip load/2,700 lbs. capacity

*Vert Lift **Hi-Flow ***Vert Lift/Hi-Flow

Available attachments include: Sod rollers, cold planers, trenchers, vibratory compactors, forks, grapples, augers, brooms, hammers, brush cutters. Solid tires also available.

CAT® SOIL COMPACTORS



CS5*	74.6 HP	50" drum	9,800 lbs. op. wt.
CS7*	99.8 HP	66" drum	16,276 lbs. op. wt.

*Vibratory Soil

CAT® ASPHALT COMPACTORS



CB2.7GC*	25 HP	47" drum	5,936 lbs. op. wt.
-----------------	-------	----------	--------------------

*Double Drum

WEILER MOTOR GRADERS



65E	120 HP	17,000 lbs. op. wt.	10' moldboard
------------	--------	---------------------	---------------



VERMEER® TRENCHERS



RTX-250	36" Walk-Behind Trencher	25 hp	1,550 lbs. op. wt.
RTX-450	48" Ride-On Trencher	49 hp	4,507 lbs. op. wt.



WACKER NEUSON ROLLERS



RD12L-90	3,400 lbf. centr. force	35.4" width	2,288 lbs. op. wt.
RTLx-SC3	3,295 lbf. centr. force	32" width	3,295 lbs. op. wt.



WACKER NEUSON VIBRATORY PLATES



BPU4045A	8,992 lbf. centr. force	17.7" width	710 lbs. op. wt.
BPU5545A	12,346 lbf. centr. force	23.8" width	750 lbs. op. wt.
BPU3050A	6,744 lbf. centr. force	19.7" width	366 lbs. op. wt.



LAYMOR SWEEPERS



SM3003-WHEEL	25 HP	96" brush	3,100 lbs.
---------------------	-------	-----------	------------



AG TRACTORS



MF5S.115	110 HP	90 PTO	11,332 lbs. op. wt.
MF7S.155	140 HP	115 PTO	14,000 lbs. op. wt.
MF8S.205	190 HP	150 PTO	21,000 lbs. op. wt.
MF8732S	290 HP	250 PTO	30,000 lbs. op. wt.
MF9S.310	285 HP	235 PTO	30,000 lbs. op. wt.



BOOM MOWER



MF7S.155	140 HP	25' Diamond Boom Mower
MF6S.145	130 HP	25' Diamond Boom Mower



BROOM



MF4607M	70 HP	56 PTO	7,000 lbs. op. wt.
----------------	-------	--------	--------------------

Equipped with Smith broom attachment



ENGINE DRIVEN WELDER



Big Blue 400	950 lbs.	20 A-400 A Amperage	400 A at 24 V, 100% Duty Cycle, 350 A at 27 V, 100% Duty Cycle, 300 A at 32 V, 100% Duty Cycle
---------------------	----------	---------------------	--



BOOM LIFT WELDER



CST 282	34.6 lbs.	50/60 Input Hz	280 A at 31.2 VDC, 35% Duty Cycle
----------------	-----------	----------------	-----------------------------------



MULTIQUIP WELDER



DCW-330X2	983 lbs.	60Hz	100% @Single 280, Dual 165 A
------------------	----------	------	------------------------------



CAT® TELEHANDLERS



TH255C	11,000 lbs. op. wt.	5,500 lbs. capacity	18' lift height
TH0642	21,064 lbs. op. wt.	6,000 lbs. capacity	42' lift height
TH0842	23,366 lbs. op. wt.	8,000 lbs. capacity	42' lift height
TL642D	23,600 lbs. op. wt.	6,500 lbs. capacity	42' lift height
TL943D	27,000 lbs. op. wt.	9,000 lbs. capacity	43' lift height
TH1055	29,838 lbs. op. wt.	10,000 lbs. capacity	55' lift height
TL1055D	34,900 lbs. op. wt.	10,000 lbs. capacity	55' lift height
TH1255	31,238 lbs. op. wt.	12,000 lbs. capacity	55' lift height
TL1255D	39,200 lbs. op. wt.	12,000 lbs. capacity	55' lift height

Available attachments include: Buckets, pallet forks, block forks, framer's carriages, truss booms, lifting hooks.

GENIE TELEHANDLERS



GTH-5519	10,900 lbs. op. wt.	5,500 lbs. capacity	19' lift height
GTH-844	22,600 lbs. op. wt.	8,000 lbs. capacity	44' lift height
GTH-1056	30,000 lbs. op. wt.	10,000 lbs. capacity	56' lift height
GTH-1256	34,500 lbs. op. wt.	12,000 lbs. capacity	56' lift height



ROTATING TELEHANDLERS



RTH6.25	39,680 lbs. op. wt.	13,200 lbs. capacity	82' lift height
RTH6.30	48,060 lbs. op. wt.	13,200 lbs. capacity	97'9" lift height



SKYTRAK



6042	25,100 lbs. op. wt.	6,000 lbs. capacity	42' lift height
8042	27,100 lbs. op. wt.	8,000 lbs. capacity	41' lift height
10054	28,200 lbs. op. wt.	10,000 lbs. capacity	53' lift height
12054	30,357 lbs. op. wt.	12,000 lbs. capacity	53' lift height
1644	33,000 lbs. op. wt.	15,650 lbs capacity	44' lift height
2733	38,775 lbs. op. wt.	26,600 lbs capacity	33' lift height



CAT® INDUSTRIAL FORKLIFT



GP25N	7,980.8 lbs. op. wt.	5,000 lbs. capacity	188" lift height
DP25N*	8,210 lbs. op. wt.	5,000 lbs. capacity	185" lift height
GP30N	9,391.7 lbs. op. wt.	6,000 lbs. capacity	258.7" lift height

*Diesel

ROUGH TERRAIN FORKLIFTS



LK8M	74 HP	8,000 lbs. lift capacity	Mast height range 10-21'
-------------	-------	--------------------------	--------------------------

- Cat C3.4B 4-Cylinder turbo diesel engine
- Cat 4-Speed fully synchromesh power shuttle transmission
- 4 Wheel Drive
- Standard carriage 60"



GENIE TELESCOPIC BOOM LIFTS



S45 XC**	45' platform ht.	660/1000 lbs. cap.	13,945 lbs. op. wt.
S45	45' platform ht.	500 lbs. capacity	15,500 lbs. op. wt.
S60 FE*	61' platform ht.	600 lbs. capacity	17,750 lbs. op. wt.
S65	65' platform ht.	660 lbs. capacity	23,000 lbs. op. wt.
S85	85' platform ht.	500 lbs. capacity	38,000 lbs. op. wt.
S125	125' platform ht.	500 lbs. capacity	45,000 lbs. op. wt.
SX125 XC**	125' platform ht.	660/1000 lbs. cap.	45,600 lbs. op. wt.
SX135 XC**	125' platform ht.	660/1000 lbs. cap.	47,500 lbs. op. wt.
SX150	152' platform ht.	750 lbs. capacity	49,950 lbs. op. wt.
SX180	180' platform ht.	750 lbs. capacity	54,000 lbs. op. wt.

*Fuel/Electric | **Xtra Capacity



GENIE TELESCOPIC BOOM LIFT | TRAX



S80J Trax	80' platform ht.	660 lbs. capacity	29,588 lbs. op. wt.
S45 Trax XC	45' platform ht.	600/1000 lbs. cap.	17,120 lbs. op. wt.
S65 Trax XC	65' platform ht.	660/1000 lbs. cap.	25,000 lbs. op. wt.



JLG TELESCOPIC BOOM LIFTS



460SJ	46' platform ht.	600 lbs. capacity	16,500 lbs. op. wt.
660SJ	65' platform ht.	550 lbs. capacity	25,000 lbs. op. wt.
860SJ	86' platform ht.	500 lbs. capacity	36,000 lbs. op. wt.
1350SJP	135' platform ht.	500 lbs. capacity	45,000 lbs. op. wt.



GENIE ARTICULATING BOOM LIFTS



Z45/25RT***	45' platform ht.	500 lbs. capacity	15,900 lbs. op. wt.
Z45FE*	45' platform ht.	600 lbs. capacity	14,460 lbs. op. wt.
Z60FE*	59' platform ht.	500 lbs. capacity	17,100 lbs. op. wt.
Z62/40**	60' platform ht.	500 lbs. capacity	23,000 lbs. op. wt.
Z80/60**	80' platform ht.	500 lbs. capacity	38,000 lbs. op. wt.
Z135/70**	135' platform ht.	600 lbs. capacity	45,500 lbs. op. wt.

*Electric **Diesel *** Dual Fuel/Diesel



JLG ARTICULATING BOOM LIFT



340AJ	33' platform ht.	500 lbs. capacity	10,175 lbs. op. wt.
1500AJP	150' platform ht.	600 lbs. capacity	57,400 lbs. op. wt.



GENIE ELECTRIC ARTICULATING BOOM LIFT



Z40/23NRJ	40' platform ht.	500 lbs. capacity	15,300 lbs. op. wt.
Z34/22N	34'6" platform ht.	500 lbs. capacity	11,500 lbs. op. wt.
Z45/25 DC	45' platform ht.	500 lbs. capacity	15,400 lbs. op. wt.



JLG ELECTRIC TRACK ARTICULATING ATRIUM LIFT



X600AJ	33' platform ht.	500 lbs. capacity	10,175 lbs. op. wt.
X770AJ	77' platform ht.	500 lbs. capacity	9,655 lbs. op. wt.



JLG ELECTRIC MAST LIFT



32E Toucan	32' platform ht.	500 lbs. capacity	10,140 lbs. op. wt.
-------------------	------------------	-------------------	---------------------

Electric Mast Lift with JIB



GENIE TOWABLE MANLIFTS



TZ-34/20	34' platform ht.	500 lbs. capacity	3,155 lbs. op. wt.
TZ-50	50' platform ht.	500 lbs. capacity	4,400 lbs. op. wt.



JLG RT SCISSOR LIFT



ERT4769*	47' platform ht.	800 lbs. capacity	15,200 lbs. op. wt.
RT5394	50' platform ht.	1500 lbs. capacity	17,110 lbs. op. wt.

RT= Rough Terrain
* Hybrid



MEC MICRO SCISSOR LIFTS



Micro 13XD	13' platform ht.	500 lbs. capacity	2,116 lbs. op. wt.
Micro 19XD	19' platform ht.	500 lbs. capacity	2,820 lbs. op. wt.
Micro 26XD	26' platform ht.	550 lbs. capacity	4,450 lbs. op. wt.



MEC SCISSOR LIFTS



MME25	25' platform ht.	350 lbs. capacity	3,310 lbs. op. wt.
4046SE*	39' platform ht.	750 lbs. capacity	7,140 lbs. op. wt.
3232SE*	32' platform ht.	550 lbs. capacity	7,145 lbs. op. wt.
4555SE*	45' platform ht.	750 lbs. capacity	7,760 lbs. op. wt.
4069RT**	40' platform ht.	800 lbs. capacity	11,000 lbs. op. wt.

* Electric Lift
** Hybrid / Rough Terrain



GENIE SCISSOR LIFTS



GS1930*	19' platform ht.	30" width	3,000 lbs. op. wt.
GS2646*	26' platform ht.	46" width	4,346 lbs. op. wt.
GS2632*	26' platform ht.	32" width	4,500 lbs. op. wt.
GS3246*	32' platform ht.	46" width	5,600 lbs. op. wt.
GS3232*	32' platform ht.	32" width	6,871 lbs. op. wt.
GS4046*	40' platform ht.	46" width	6,900 lbs. op. wt.
GS2669RT**	26' platform ht.	69" width	7,300 lbs. op. wt.
GS3369RT**	33' platform ht.	69" width	7,900 lbs. op. wt.
GS4069RT**	40' platform ht.	69" width	10,392 lbs. op. wt.
GS3390RT**	33' platform ht.	90" width	12,000 lbs. op. wt.
GS5390RT**	53' platform ht.	92" width	16,567 lbs. op. wt.

* Electric ** Diesel / Rough Terrain



ON-ROAD DUMP TRUCKS



5.6 yd ³ capacity	Single Axle	240 hp
12-14 Yard Freightliner M2	Tandem Axle	300 hp



ON-ROAD WATER TRUCKS



WT2500	2,500 gallon capacity
WT2000	2,000 gallon capacity

OFF-ROAD WATER TRUCKS



912WW	2,600 gallon capacity
--------------	-----------------------



OFF-ROAD DUMP TRUCKS



707G	74 HP	4.6 yd ³ capacity	26,500 lbs. op. wt.
912HM	131 HP	7.3 yd ³ capacity	41,100 lbs. op. wt.



WACKER NEUSON DUMPER



DV60	74 horse power	13,227 lbs max payload	10,028 lbs. op. wt.
-------------	----------------	------------------------	---------------------

Dual view with turf tires



CRASH ATTENUATOR TRUCKS

- Crash rated up to 65 mph
- Shatterproof work lights
- Solar powered arrow board
- Integrated man baskets both curb and street sides
- Meets all federal and state regulations for impact



CONCRETE BUGGY



WBH-21EF	3200 lbs. max. load capacity	18 hp	1,492 lbs. op. wt.
WTB-16PD	2500 lbs. max. load capacity	22 hp	2,138 lbs. op. wt.



MESSAGE BOARD



WTMMB(A)	11 x 16 in font size	Batteries and Solar	48 pixels width, 27 pixels height
-----------------	----------------------	---------------------	-----------------------------------



ARROW BOARD



WTSP55-LSA

- "On" Operating Status, GPS Location and Compass Bearing
- Caution Pattern, Arrow Pattern and Arrow Direction
- Arrow Board ID, Trailer Stance and System Health



SECURITY TOWER



The Wanco Mini Solar Surveillance Tower is equipped with a feature-rich camera system that's simple to deploy and will keep your job site secure.

- Tubular steel towable trailer with 2" ball hitch
- 20' telescoping tower
- 360 degrees camera rotation
- Equipped with two mini dome infrared 1080p resolution cameras
- 750 watt solar tower



ALL-TERRAIN VEHICLES



Ranger 570 (4 Seater)	4x4 (Gas Engine)
------------------------------	------------------

AIR COMPRESSORS



185CFM	61 HP	80-128 PSI
---------------	-------	------------



XAS 188	49 HP	100 PSI
----------------	-------	---------

TRAILER MOUNTED PUMPS



PAC F44 KD	4" Open Trailer Centr. Pump	49 HP
PAC F44 KD-S	4" Silenced Enclosed Centr. Pump	49 HP
PAC F66 KD	6" Open Trailer Centr. Pump	74 HP
PAC F66 KD-S	6" Silenced Enclosed Centr. Pump	74 HP
PAC F88 JD-S	8" Silenced Enclosed Centr. Pump	74 HP
4D-DHS-EOV-1B30E	4" Open Trailer Double Diaphragm Pump	
4JSCM-DCST-2.2T-M	4" Open Trailer Centr. Pump	
4JSCM-DCST-2.2T-MC	4" Silenced Enclosed Centr. Pump	
6JSCE-DCST-2.8T-M	6" Open Trailer Centr. Pump	
6JSCE-DCST-2.8T-MC	6" Silenced Enclosed Centr. Pump	



LIGHT TOWERS



Night Light Pro II	8kW	Cat 1.1 Engine	25' Electric Powered Mast
LTS-160N	1600W	Solar Powered	20' Mast
Trime X Smart	1280W	Kubota Engine	26' Mast



*All specifications are estimates.

WATER TRAILERS

- 525 gallon polypropylene tank with internal baffles
- Simple water flow controls and reliable pumps
- Smooth highway and job site towing
- Hydraulic surge brakes
- Height adjustable channels for multiple hitch options
- MADE IN THE USA and DOT compliant



TRAILERS



T-12DT	12,000 lbs. capacity	14'/16'/18' Deck Length
T-14DT	14,000 lbs. capacity	16'/18' Deck Length
T-30	30,000 lbs. capacity	20' Deck Length




ATTACHMENTS



POWER BOX RAKES

For clearing and preparing soil in landscape finishing applications, providing evenly spaced seedbed in many soil types and conditions. Can dethatch, remove old lawns/weeds, grade, level, rake and remove debris.



BROOMS

Perfect clean-up work tools. Clean and remove dirt, rock and other debris from streets, parking lots, and factory floors. Also used in paving recycling, demolition and airport maintenance.



LANDSCAPE TILLERS

Perfect work tools for landscaping, agricultural and construction applications. Hardened, replaceable tines quickly pulverize soil, mix other materials into soil and even stabilize and level existing terrain.



COLD PLANERS

Effectively mill asphalt and concrete, restoring surfaces to specified grades or levels. Available in standard and high flow models.



BRUSHCUTTERS

High strength, high speed cutting blades efficiently cut brush, small trees and dense overgrowth for easy removal. Ideal for clearing overgrowth from highway medians, utility easements, and for initial land clearing for housing and parks and recreational areas.



LASER GUIDED BOX BLADE

Cat Box Blades are designed for grading and leveling. Each model is designed to operate both manually and automatically with the use of Laser or GPS grading systems.




MULCHERS

Designed for high performance while cutting and mulching vegetation and undergrowth in typical forest terrain. Reduces saplings, shrubs, and trees into mulched material, making it ideal for environmental maintenance or to clear land for construction purposes.



SKID STEER FORKS

Load and transport palletized materials quickly and efficiently. Excellent for construction, industrial, agricultural and landscaping applications.



ANGLE BLADES

Push dirt and gravel with ease, and efficiently perform finish grade work in construction, landscaping and road building.



AUGERS

Drill holes for footings, fencing, signs and trees. Optimum speed and visibility, break-out capabilities and capacity torque deliver highest possible productivity in most soils. Standard and high flow models.

ATTACHMENTS



TRENCHERS


Great work tools for utility contractors. Cut straight, narrow trenches in soil for laying electrical and cable lines—or water and gas pipes. Available in standard and high flow models.



INDUSTRIAL GRAPPLE BUCKETS & GRAPPLE RAKES

Durable demolition work tools. Easily handle difficult objects like railroad ties, rocks, demolition scrap and recycling debris.

Great for loose, hard-to-handle recyclable material. Pick up irregularly shaped objects, pierce and carry paper, cardboard, wood and light gauge metal scrap.



VIBRATORY COMPACTORS

Ideal for asphalt patchwork and for compacting soil, sand and gravel prior to pouring concrete or laying asphalt. Provide excellent maneuverability for small compacting jobs that do not require a dedicated roller.



SMART GRADER BLADE

Cat Smart Grader Blade attachments are for cutting, moving and grading dirt, gravel, sand and virtually any other material used as a base. Can be equipped with laser and GPS.



MATERIAL HANDLING ARMS

Load, carry and position materials found in industrial, construction and agricultural applications. Also good for transporting and setting trees or shrubs for landscaping.



HAMMERS

Ideal for demolition—break up concrete, asphalt, rock or masonry. New models feature improved breaking productivity, more power and are totally unique to Caterpillar.

MANAGE YOUR RENTALS

We pride ourselves on innovation and convenience. That's why we constantly look for ways to make your experience faster, simpler and better. With The CatRentals.com customer portal, you can work smarter by keeping track of your whole fleet with a single user-friendly resource.

Find the equipment you need through our online inventory. Get started today and browse The Cat Rentals website to jump-start your next project.



Accessible



Easy



Convenient



Transfer Equipment
Between Jobs



View Equipment
on Rent



View Contracts
and Invoices



Locate the
Nearest Branch



Request On-Site
Service



Search for
Equipment



Extend or
End Rentals



Request
a Quote



View Rental
Rates



Access
24/7



View Telematics
Location, Fuel Level, & Hours



TOP 10 REASONS TO RENT

1. Minimize Costly Breakdowns

Not only does Ring Power's Cat Rental Store have the youngest fleet in the industry, but also all our machines are expertly maintained and serviced after every single rental.

2. Complete Jobs More Efficiently

The latest technology is standard on all rental units in our diverse line of late model construction machines by Cat®, Genie, Terex, Challenger and Massey Ferguson, Hydrema, Vac-Con and more.

3. Eliminate Storage Costs

Just give us a call for a quick pick-up or simply drop the machine off at our nearest location when the job is finished.

4. Make No Capital Investment

Incur expense only when renting. Ring Power CRS also takes care of day-to-day maintenance on rental units, further reducing your operating costs.

5. Increase Your Borrowing Power

Because rented equipment does not appear as a liability on your balance sheet, renting actually gives you a better ratio of assets to liabilities.

6. Eliminate Equipment Obsolescence

Renting from Ring Power's Cat Rental Store gives you access to the latest technology so you don't have to work with old, worn-out equipment.

7. Try It Before You Buy It

What better way to make sure the machine you are considering buying is really the best model for the job?

8. Excellent Customer Service

Our knowledgeable rental and sales team is only a phone call away, and ready to meet you on site to discuss different machine options to make your job easier.

9. Unsurpassed Field Serviceability

Contact your sales representative anytime day or night, and a service vehicle and field technician will be on your job site shortly. We are proud of our reputation for 24-hour service.

10. Flexibility

With daily, weekly and monthly rates available, you don't pay for equipment longer than you need it to complete your job.

RENTAL LOCATIONS

ST. AUGUSTINE

(904) 737-7730

500 World Commerce Pkwy

Saint Augustine, FL 32092

Corporate Headquarters

BROOKSVILLE

14300 Ponce De Leon Blvd.
Brooksville, FL 34601
(352) 797-9500

LAKE CITY

390 SW Ring Court
Lake City, FL 32025
(386) 755-3997

ORLANDO

9901 Ringhaver Dr.
Orlando, FL 32824
(407) 856-4851

TALLAHASSEE

32000 Blue Star Highway
Midway, FL 32343
(850) 514-1958

DAYTONA BEACH

401N Tomoka Farms Rd.
Daytona Beach, FL 32124
(386) 947-4939

LAKELAND

3425 Reynolds Rd.
Lakeland, FL 33803
(863) 606-0512

PALM BAY

415 Community College Pkwy SE
Palm Bay, FL 32909
(321) 725-6420

TAMPA

10421 Fern Hill Dr.
Riverview, FL 33578
(813) 671-3200

GAINESVILLE

4900 N Main St.
Gainesville, FL 32609
(352) 371-9983

LEESBURG

2887 South St.
Leesburg, FL 34748
(352) 321-3100

SARASOTA

7500 26th Court E.
Sarasota, FL 34243
(941) 751-0409

TITUSVILLE

390 SW Ring Court
Lake City, FL 32025
(321) 837-5797

JACKSONVILLE

330 Pecan Park Rd.
Jacksonville, FL 32218
(904) 714-3517

OCALA

1890 NW 63rd St.
Ocala, FL 34475
(352) 620-0660

ST. PETERSBURG

2700 Gandy Blvd N.
St. Petersburg, FL 33702
(727) 471-2151

HEAVY EQUIPMENT RENTALS



Ring Power®



MEDIUM DOZERS



D4 LGP	130 HP	30,000 lbs. op. wt.	6-Way Blade
D5 LGP	170 HP	43,000 lbs. op. wt.	6-Way Blade
D6 XL	215 HP	51,000 lbs. op. wt.	S Blade
D6 LGP	215 HP	51,000 lbs. op. wt.	S Blade
D6 LGP PAT	215 HP	51,000 lbs. op. wt.	S Blade

Available attachments include: GPS, Laser AccuGrade™.

LARGE DOZERS



D8	363 HP	88,000 lbs. op. wt.	SU Blade
-----------	--------	---------------------	----------

Available attachments include: GPS, Laser AccuGrade™.

MEDIUM WHEEL LOADERS



938	188 HP	36,000 lbs. op. wt.	3.5 yd³ Bucket
950GC	225 HP	42,000 lbs. op. wt.	4.0 yd³ Bucket
950	249 HP	43,000 lbs. op. wt.	4.0 yd³ Bucket
962	269 HP	45,000 lbs. op. wt.	4.75 yd³ Bucket
966	321 HP	52,000 lbs. op. wt.	5.5 yd³ Bucket
972	339 HP	55,000 lbs. op. wt.	6.25 yd³ Bucket
980	420 HP	67,000 lbs. op. wt.	7.75 yd³ Bucket

Available attachments include: Buckets, forks, material handling arms, rakes.

LARGE EXCAVATORS



336	311 HP	82,000 lbs. op. wt.	3.0 yd³ Bucket
340	347 HP	84,600 lbs. op. wt.	3.5 yd³ Bucket
349	424 HP	106,000 lbs. op. wt.	4.04 yd³ Bucket
350	414 HP	105,000 lbs. op. wt.	4.03 yd³ Bucket
352	445 HP	108,000 lbs. op. wt.	5.0 yd³ Bucket
374	484 HP	163,000 lbs. op. wt.	6.25 yd³ Bucket

Available attachments include: Thumbs, clean-out buckets, GPS.

MEDIUM EXCAVATORS



325	172 HP	63,000 lbs. op. wt.	2.08 – 2.4 yd³ Bucket
326	201 HP	57,100 lbs. op. wt.	2.4 yd³ Bucket
330GC	202 HP	68,000 lbs. op. wt.	2.4 yd³ Bucket
330	273 HP	69,000 lbs. op. wt.	2.4 yd³ Bucket
335	273 HP	77,000 lbs. op. wt.	2.4 yd³ Bucket

LONG REACH EXCAVATORS



323	172 HP	57,000 lbs. op. wt.	1.0 yd³ Bucket
326	204 HP	69,000 lbs. op. wt.	1.0 yd³ Bucket
330	273 HP	78,000 lbs. op. wt.	1.0 yd³ Bucket
340	347 HP	94,000 lbs. op. wt.	1.3 yd³ Bucket

WHEELED EXCAVATORS



M318	174 HP	44,000 lbs. op. wt.	Various Size Buckets
M320	174 HP	47,000 lbs. op. wt.	Various Size Buckets
M322	174 HP	53,000 lbs. op. wt.	Various Size Buckets

MOTOR GRADERS



120	139 HP	14' blade	36,000 lbs. op. wt.
140GC	196 HP	14' blade	39,000 lbs. op. wt.
140	250 HP	14' blade	43,000 lbs. op. wt.

ARTICULATED TRUCKS



		HEAPED SAE 2:1	TAILGATE HEAPED SAE 2:1	
725	334 HP	19.6 yd³ cap.	20.4 yd³ cap.	51,000 lbs. op. wt.
730	367 HP	23.0 yd³ cap.	24.6 yd³ cap.	53,000 lbs. op. wt.
740GC	439 HP	29.7 yd³ cap.	31.9 yd³ cap.	72,000 lbs. op. wt.
745	504 HP	33.7 yd³ cap.	34.7 yd³ cap.	74,000 lbs. op. wt.

SOIL COMPACTORS



CS7	100 HP	66" drum	16,000 lbs. op. wt.
CS10GC*	121 HP	84" drum	23,500 lbs. op. wt.
CS11GC*	121 HP	84" drum	25,000 lbs. op. wt.
CS12GC*	112 HP	84" drum	27,798 lbs. op. wt.
CP10GC	121 HP	84" drum	24,000 lbs. op. wt.
CP11GC	133 HP	84" drum	25,000 lbs. op. wt.
815	284 HP	39" drum	50,000 lbs. op. wt.

*Vibratory Soil

PNEUMATIC COMPACTORS



CW16*	100 HP	9-wheel	EMPTY BALLAST 11,500 lbs.	FULL BALLAST 33,000 lbs.
--------------	--------	---------	---------------------------	--------------------------

PNEUMATIC COMPACTORS



CT3A	36 HP	9-wheel	5,500 lbs.
CT5	99 HP	7-wheel	9,100 lbs



ASPHALT COMPACTORS



CB4.0	48 HP	51" drum	7,971 lbs.
CB4.4	48 HP	55" drum	8,362 lbs.
CB7	100 HP	59" drum	19,500 lbs.
CB10	120 HP	67" drum	22,000 lbs.
CB13	142 HP	79" drum	28,000 lbs.
CB15	142 HP	84" drum	29,000 lbs.

*These are Double Drum

ASPHALT COMPACTORS



C303A	30 HP	48" drum	5,700 lbs.
C307A	74 HP	51" drum	14,000 lbs.
C310A	74 HP	53" drum	20,160 lbs.



ON-ROAD WATER TRUCKS



WT5000	5,000 gallon capacity
---------------	-----------------------

OFF-ROAD WATER TRUCKS



725WW	5,000 gallon capacity
730WW	6,000 gallon capacity
740WW	8,000 gallon capacity
745WW	9,000 gallon capacity

TRACTOR SCRAPER



3630T + Pan	407HP	23/28 yd ³ cap.	Tractor 66,000/Pan 30,000 lbs. op. wt.
--------------------	-------	----------------------------	--



PAVERS



AP400	120 HP	8' - 15'6" Screed	29,800 lbs.
AP455	120 HP	8' - 15'6" Screed	31,292 lbs.
AP500	148 HP	8' - 15'6" Screed	31,772 lbs.
AP555	148 HP	8' - 15'6" Screed	33,488 lbs.
AP600	174 HP	8' - 15'6" Screed	36,716 lbs.
AP655	174 HP	8' - 15'6" Screed	40,560 lbs.
AP1000	225 HP	10' - 19'6" Screed	42,620 lbs.
AP1055	225 HP	10' - 19'6" Screed	45,090 lbs.

PAVERS



P75	49 HP	8' - 13' Screed	12,800 lbs.
P195	67 HP	3'10" - 7' Screed	13,000 lbs.
P265	74 HP	7'8" - 14'4" Screed	16,200 lbs.
P285	74 HP	7'8" - 15' Screed	18,000 lbs.
P385	120 HP	8' - 15'8" Screed	22,000 lbs.
P395	120 HP	7'8" - 15'4" Screed	25,000 lbs.
164A	49 HP	8' - 13' Screed	10,600 lbs.



ROAD WIDENERS



W330B	67 HP	widens up to 6'	14,800 lbs.
W430	83 HP	widens up to 8'	19,500 lbs.
W530	114 HP	widens up to 10'	26,300 lbs.
W730C	174 HP	widens up to 14'	37,200 lbs.



REMIXING TRANSFER VEHICLES



E1250C	250 HP	113" truck hopper width	53,900 lbs.
E1650A	250 HP	113" truck hopper width	67,200 lbs.
E2850C	300 HP	113" truck hopper width	72,500 lbs.



SOIL MIXERS/RECLAIMERS



S200	375 HP	Max. 78" cut width/14" cut depth	40,000 lbs.
RM400	415 HP	Max. 96" cut width/20" cut depth	58,000 lbs.
RM500B	595 HP	Max. 96" cut width/20" cut depth	62,000 lbs.

SWEEPERS



B400	74 HP	78" brush	8,400 lbs.
-------------	-------	-----------	------------



AIR BURNERS



T300	79 HP	27".5" x 8'2" x 7'4"	6,600 lbs.
-------------	-------	----------------------	------------



IT PAYS

TO PUT IT ON YOUR CAT® CARD

- NO ANNUAL FEE, COMPETITIVE RATES, FLEXIBLE PAYMENT TERMS
- 1% CAT CARD REWARDS
- SPECIAL OFFERS
- DEDICATED CATERPILLAR SERVICE

APPLY ONLINE IN JUST 5-7 MINUTES

**EASY APPLICATION.
FAST APPROVAL**



TALLAHASSEE | PERRY | LAKE CITY | GAINESVILLE
OCALA | JACKSONVILLE | ST. AUGUSTINE

904.737.7730 ext. 1284


BROOKSVILLE | LAKELAND | TAMPA | SARASOTA

813.671.3700 ext. 8111

DAYTONA | ORLANDO | PALM BAY | LEESBURG

407.855.6195 ext. 3202

YOUR UTILITY EQUIPMENT SOLUTIONS



Ring Power[®]
UTILITY | TRUCK | CRANE

VACUUM TRUCKS



X-CAVATOR HYDROVAC – 1,300 gal. 20 GPM/4,000 psi water pump • Vacuum system: Positive Displacement 18" HG/6000CFM • Water tank capacity: 1300 Gallons • Debris tank size: 12 yd³ • Up to 26' x 8" Rear Mounted Extendable Boom with Pendant Station. 310 degree rotation & vertical boom travel +45/-22 degrees • Hydro-excavation package includes 100' retractable reel and high pressure wand • DOT Light Bar • 30' of aluminum pipe with clamps.

COMBINATION VAC – 1,300 gal. 80 GPM/2,000 psi water pump • Vacuum system: Positive Displacement 18" HG/6000CFM • Water pump size: 80GPM@2000PSI • Water tank capacity: 1300 Gallons • Debris tank size: 12 yd³ • 10' telescopic boom/270° rotation • 180° articulating front hose reel with 500' of jet hose • Hydro-excavation package includes 50' retractable reel and high • 30' of aluminum pipe with clamps. • DOT Light Bar



BUCKET TRUCKS



LTM40	44.5' working ht.	Non-Over Center (Telescopic Upper)
LT40	45' working ht.	Articulated Telescopic Material Handler
SC42	47.6' working ht.	Over Center Material Handler
TC55 OPTIMA	60' working ht.	Non-Over Center Material Handler
TCX55 OPTIMA	60' working ht.	Non-Over Center Material Handler
RMX75	79.7' working ht.	Non-Over Center Material Handler
RMX100	105' working ht.	Non-Over Center Material Handler
TM100	105' working ht.	Non-Over Center Material Handler
TM100 T16 <small>Track Unit</small>	105' working ht.	Non-Over Center Material Handler
TM125	125' working ht.	Non-Over Center Material Handler
TM125 T16 <small>Track Unit</small>	125' working ht.	Non-Over Center Material Handler
TL45	50' working ht.	Articulated Telescopic Material Handler
TL48	52.5' working ht.	Articulating Telescoping Material Handler
TC55-T8 <small>Track Unit</small>	60' working ht.	Non-Over Center Material Handler
SKYLIFT SBA471-MH	52' working ht.	Articulating Telescoping Material Handler

All trucks available in either 4X2, 4x4 or 6x6.



DIGGER DERRICKS



C4045 T8 <small>Track Unit</small>	11,000 lbs. cap. @ 10' radius	Max. 47' sheave ht.
COMMANDER 4047	11,000 lbs. cap. @ 10' radius	Max. 47' sheave ht.
COMMANDER 6060	18,100 lbs. cap. @ 10' radius	Max. 60' sheave ht.
GENERAL 65	21,000 lbs. cap. @ 10' radius	Max. 65' sheave ht.
GENERAL 65 T16 <small>Track Unit</small>	21,010 lbs. cap. @ 10' radius	Max. 65.1' sheave ht.
GENERAL 80	24,000 lbs. cap. @ 10' radius	Max. 80' sheave ht.

All trucks available in either 4X2, 4x4 or 6x6.



REAR EASEMENT MACHINES



MINI 33P	27 HP	Max. 42' working ht.	3,300 lbs. material handling
SUPER 6000	32 HP	Max. 48' working ht.	6,000 lbs. material handling
PATRIOT 50	76 HP	Max. 51' working ht.	6,000 lbs. material handling
ML55	25 HP	Max. 55' working ht.	1,000 lbs. material handling

*Includes trailer



GRAPPLE TRUCKS



M100 L72	28 yd ³ dump body	3,000/7,300 lbs lifting cap. @ 24'/10'
M13 A80	53 yd ³ dump body	3,000/9,000 lbs lifting cap. @ 26'/10'
M13 A98	53 yd ³ dump body	2,090/8,590 lbs lifting cap. @ 32.2'/10'
M13 A98	64 yd ³ rear body	2,090/8,590 lbs lifting cap. @ 32.2'/10'



KNUCKLE BOOM CRANES



082 B3.3	Light Duty, 12' Flatbed	54,560 ft-lbs capacity / 38' 5" reach
108 B3.3	Light Duty, 16' Flat Bed	71,560 ft-lbs capacity / 46' 11" reach
298 EP4.5	Medium Duty, 20' Flat Bed	183,228 ft-lbs capacity / 71' 2" reach
285 K3	Drywall K-Crane, 24' Flatbed, includes drywall forks.	195,430 ft-lbs capacity / 52' 10" reach
425 K4	Drywall K-Crane, 24' Flatbed, includes drywall forks.	245,900 ft-lbs capacity / 62' 8" reach
558 EP3.4	Heavy Duty, 22' Flatbed, rear mounted	183,228 ft-lbs capacity / 71' 2" reach



WORK TRUCKS



Flatbed	9' Flatbed Body	30k gooseneck ball, Steel headache rack
Open Service Body	9' Utility Body	Double panel toolbox doors & adjustable shelves
Contractor Body	11' Framer Body	2000 lbs. capacity, above body boxes & 24" drop-in stake sides
9' Dump Body (non-CDL)	9' Bed; 4yd ³ Capacity	Coal chute, Steel headache rack w/cab protector
Mechanics Truck	7024 Series Crane	7k capacity, 24' reach, wireless remote & 40 cfm air compressor
Reel Transport	5,500 lbs. Capacity	Hydraulic pay/retrieve/pull, tool circuit & gooseneck receiver
16' Dump Body	18 yd Capacity	Western Star 49X Chassis, BeauRoc Diamond Body

*All specifications are estimates.

PRESSURE DRILLS



PATRIOT P1	35' drill depth	96" maximum auger diameter
-------------------	-----------------	----------------------------



TRAILERS



POLE	10,500 – 22,400 lbs. cap.	20' – 74' Length	1 – 2 Axles
REEL	6,500 – 19,000 lbs. cap.	11'2" – 30' Length	1 – 3 Axles
STRINGING EQUIPMENT	10,500 – 22,000 lbs. cap.	11'2" – 30' Length	1 – 3 Axles



CRANES | LIFTING SOLUTIONS YOU CAN COUNT ON

CRAWLER CRANES

LATTICE BOOM

100 - 400 Ton Capacity

Mounted on an undercarriage with a set of tracks for stability and mobility, crawler cranes can move around on a job site and perform lifts with little set-up and are capable of traveling with a load.



TRUCK MOUNTED CRANES

50 - 115 Ton Capacity

Mounted on truck carriers for highway travel, truck mounted cranes require no special transport. Outriggers extend horizontally from the chassis and vertically to level and stabilize the crane for hoisting.



ALL-TERRAIN CRANES

100 - 400 Ton Capacity

With anywhere from two to seven axles, these mobile cranes combine the road-ability of truck mounted cranes with the maneuverability of rough terrain cranes, and can travel on public roads or on the job site using all-wheel and crab steering.



BOOM TRUCKS

22 - 60 Ton Capacity

Comprised of a telescoping crane boom mounted on a commercial truck body for easy transport, boom trucks are available with either stand-up or swing-seat controls.



ROUGH TERRAIN CRANES

30 - 100 Ton Capacity

Mounted on an undercarriage with four rubber tires, rough terrain cranes are designed for pick-and-carry operations as well as off-road and "rough terrain" applications. Outriggers are used to level and stabilize the crane for hoisting.



INDUSTRIAL CRANES

9 - 25 Ton Capacity

Designed for plant maintenance and material handling jobs, both indoors and out, industrial cranes are easy to operate, with features such as carry decks, dual fuel capabilities, and multi-mode steering.




MANUFACTURERS REPRESENTED



Ring Power
UTILITY | TRUCK | CRANE

HEADQUARTERS & PRODUCTION FACILITY
8040 Phillips Hwy.
Jacksonville FL 32256



12 LOCATIONS

Providing Utility, Truck & Crane Equipment
for your needs.

TO RENT CALL 844.766.7368

E-mail: utc@ringpower.com

THE COMPRESSED AIR EQUIPMENT YOU NEED, WHEN YOU NEED IT.



Ring Power[®]
AIR COMPRESSOR GROUP

PORTABLE AIR COMPRESSORS
ELECTRIC



Sullair	E425H	400 CFM	150 PSI	Aftercooled & Filtered
Sullair	E1035H*	1035 CFM	150 PSI	Aftercooled & Filtered



PORTABLE AIR COMPRESSORS
DIESEL



Sullair	400HAF	400 CFM	200 PSI	Aftercooled & Filtered
Sullair	900HAF	900 CFM	150 PSI	Aftercooled & Filtered
Sullair	1600HAF	1600 CFM	150 PSI	Aftercooled & Filtered
Atlas Copco	XAS400	400 CFM	200 PSI	Aftercooled & Filtered
Atlas Copco	XAS950	950/900/750 CFM	100/150/200 PSI	Aftercooled & Filtered
Atlas Copco	XRVS1000	1000/875 CFM	365/510 PSI	Aftercooled & Fuel Xpert
Atlas Copco	XRVS1550	1350/1550 CFM	510/365 PSI	Aftercooled & Fuel Xpert
Atlas Copco	XAS1800	1600/1800 CFM	225 PSI	Aftercooled & Filtered



INDUSTRIAL AIR COMPRESSORS
ELECTRIC



Sullair	TSR32	1240-1640 CFM	100/175 PSI	VSD & WYE Delyta
---------	--------------	---------------	-------------	------------------



OIL FREE AIR COMPRESSORS



Sullair	DR13	795/639 CFM	125/150 PSI	200 HP	Electric
Sullair	OFD1550	1550 CFM	125 PSI	500 HP	Diesel



COMPRESSED AIR DRYERS



DryAir	TWR500	500 CFM	100-200 PSI	2500 lbs / 62" x 51" x 94"	Dessicant
DryAir	TWR1000	1000 CFM	100-200 PSI	5500 lbs / 102" x 77" x 86"	Dessicant
DryAir	TWR1600	1600 CFM	100-200 PSI	9200 lbs / 88" x 87" x 98"	Dessicant
DryAir	TWR3000	3000 CFM	100-200 PSI	9200 lbs / 90" x 87" x 98"	Dessicant
SPX	RDHHP930	1800 CFM	500 PSI	5500 lbs / 79" x 78" x 83"	High Pressure
SPX	RDHHP1550G	2800 CFM	350 PSI	6100 lbs / 79" x 78" x 83"	High Pressure
VanAir	Pro100	1600 CFM	60-175 PSI	2200 lbs / 90" x 72" x 43"	Deliquescent



AIR HOSE


3/4" x 50'	3" x 25'
2" x 50'	3" x 25' Oil Free



*All specifications are estimates.

PRESSURE LOSS IN AIR HOSES CHART

Air Pressure Loss in Hose-50 Foot Length (100 PSIG Inlet Pressure = / and 150 PSIG Inlet Pressure = /)



Ring Power represents the finest electric and diesel air compressor products in the industry.

SANDBLAST NOZZLES AIR REQUIREMENTS CHARTS

Approximate Air Consumption (CFM) per Blast Nozzle

Nozzle Size	Nozzle Pressure						
	60 PSI	70 PSI	80 PSI	90 PSI	100 PSI	120 PSI	140 PSI
1/8"	14	16	18	20	22	26	30
3/16"	32	36	41	45	49	58	66
1/4"	57	65	72	80	90	105	121
5/16"	90	101	113	125	140	160	185
3/8"	126	145	163	182	200	235	270
7/16"	170	193	215	240	270	315	360
1/2"	230	260	290	320	350	410	470
5/8"	360	406	454	500	550	640	740
3/4"	518	585	652	720	790	925	1060

Approximate Abrasive Consumption (LBS/HR) per Blast Nozzle

Nozzle Size	Nozzle Pressure						
	60 PSI	70 PSI	80 PSI	90 PSI	100 PSI	120 PSI	140 PSI
1/8"	90	105	115	130	140	165	190
3/16"	209	230	250	290	320	375	430
1/4"	365	420	460	500	560	660	760
5/16"	575	650	725	825	900	1050	1200
3/8"	840	945	1050	1155	1260	1475	1700
7/16"	1150	1300	1450	1600	1750	2050	2350
1/2"	1460	1660	1850	2000	2250	2650	3000
5/8"	2290	2600	2900	3125	3520	4100	4750
3/4"	3300	3750	4180	4500	5060	5950	6800

CHOOSING AIR AS A UTILITY

Capital funds are frequently insufficient to cover the cost of optimizing the compressed air system. Ring Power AOF financing structure can include equipment, modular buildings, ancillary equipment, utilities and more.

Air Over the Fence is locked in at the same annual operational cost over the term of the agreement. Service and repair costs are covered by Ring Power so there are no surprise expenses due to the compressed air system.

Maximum energy savings requires multiple ongoing strategies - Ring Power AOF provides the expertise to deliver optimal savings year after year and the ability to adjust with your business.

Unreliable and poor - quality air can lead to costly disruptions and work stoppages. Ring Power delivers clean dry air, guaranteed* - this not only keeps up production, but also frees up your staff to focus on your business instead of compressed air equipment.



NORTH FLORIDA

904.237.2372 | 850.251.0019

WEST CENTRAL FLORIDA

813.781.7093 | 813.240.0915

EAST CENTRAL FLORIDA

407.202.5702

SOUTH FLORIDA

561.221.4608 | 561.756.1651



YOUR FORKLIFT RENTAL SOLUTION

Ring Power[®]
Lift Trucks

IC PNEUMATIC TIRE FORKLIFTS



15,500 - 100,000 lbs. Capacity @ 48" Load Center
 Up to 236" Lift Height
 96" Fork Length
 Diesel - Full cabs with air conditioning

BRANDS: Kalmar, Cat Lift Trucks and Mitsubishi

IC CUSHION TIRE FORKLIFTS



3,000 - 15,500 lbs. Capacity
 Up to 240" Lift Height
 36" - 96" Fork Length
 LP Gas

BRANDS: Cat Lift Trucks and Mitsubishi

PIGGYBACK & TRUCK MOUNTED FORKLIFTS



3,000 - 8,000 lbs. Capacity (Double Reach, All-Wheel Drive)
 Up to 144" Lift Height
 36" - 72" Forks, Block Forks and Lumber Forks
 Diesel

BRANDS: Navigator, Moffett

3-WHEEL ELECTRIC FORKLIFTS



3,000 - 4,000 lbs. Capacity
 Up to 240" Lift Height
 36 Volt/48 Volt Electric

BRANDS: Cat Lift Trucks, Mitsubishi, Jungheinrich and Big Joe

NARROW AISLE ELECTRIC FORKLIFTS



3,000 - 4,500 lbs. Capacity
 Up to 450" Lift Height
 24 Volt/36 Volt/ 48 Volt Electric

BRANDS: Cat Lift Trucks, Mitsubishi and Jungheinrich

IC PNEUMATIC TIRE FORKLIFTS



3,000 - 15,000 lbs. Capacity
 Up to 240" Lift Height
 42" - 96" Fork Length
 LP Gas/Diesel

BRANDS: Cat Lift Trucks and Mitsubishi

VERY NARROW AISLE/ SWIVEL MAST FORKLIFTS



3,000 - 5,500 lbs. Capacity - Side Shifter
 Up to 258" Lift Height
 42" - 72" Fork Length
 LP Gas and Electric

BRANDS: Flexi, Aisle Master/Combi

ELECTRIC COUNTERBALANCED FORKLIFTS



3,000 - 66,000 lbs. Capacity
 Side Shifter
 Up to 240" Lift Height
 36 Volt/48 Volt Electric

BRANDS: Cat Lift Trucks, Mitsubishi, Jungheinrich and Big Joe

ELECTRIC ORDER PICKERS & DOCK STOCKERS



2,200 - 4,500 lbs. Capacity
 Up to 240" Lift Height
 24 Volt/36 Volt/ 48 Volt Electric

BRANDS: Cat Lift Trucks, Mitsubishi, Jungheinrich and Big Joe

ELECTRIC STRADDLE/WALKIE STACKERS



2,000 - 4,000 lbs. Capacity
 Up to 194" Lift Height
 Light or Heavy Duty

BRANDS: Mitsubishi, Jungheinrich and Big Joe

ELECTRIC PALLET MOVERS



3,000 - 8,000 lbs. Capacity

Fork Dimensions: 27" x 48" or 27" x 96" (Walk Behind & Rider)

24 Volt Electric

BRANDS: Cat Lift Trucks, Mitsubishi, Jungheinrich and Big Joe

BAUMANN SIDeloadERS



6,600 lbs. - 130,000 lbs. Load Capacity

Fuel Options: LP, Diesel and Electric

Container handling options available.



ATTACHMENTS

Carpet Pole
Paper Roll Clamps
Single Doubles
Double Pallet Handler
Carton Clamp
Rotators
Fork Positioners
Multiple Load Handlers

Push Pull
Forks
Clamps
Layer Pickers
Batteries
Chargers
Warehouse Racking & Automation

FLOOR CLEANERS



Scrubber dryers, sweepers, combi machines, carpet cleaners and more. Find the complete selection of the best floor cleaning machines here.

- Commercial & Industrial Floor Scrubbers
- Sweeper-Scrubbers
- Walk-behind & ride-on sweeper/scrubbers



RAILCAR MOVERS



- Air-knife adverse weather rail drying system
- Anti-lock braking system
- Dynamic traction control
- Exterior mounted cameras and cab monitor to view couplers & rail wheels

- Full width cab with rotating operator console
- Two air ride operator seats



MANUFACTURERS REPRESENTED



Jacksonville | Tallahassee | Ocala | Gainesville
Lake City | St. Augustine

904.448.5438

Tampa | St. Petersburg | Sarasota | Lakeland

727.471.2150

Orlando | Osceola | Daytona | Brevard

407.857.1973

COUNT ON US TO POWER YOU UP.

Your One Source for Power Generation and
Temperature Control Solutions.



GENERATORS / TEMPERATURE CONTROL / GEAR

Truck Towable	Energy Storage	40 Ton	Vantran 3500 kVA
Cat XQ20	BOSS 25	80 Ton	Trailers
SDG25	EBOSS 70	Dessicant Dryers	27 ft
Cat XQ35	EBOSS 125	3000 CFM	43 ft
SDG45	EBOSS 220	5000 CFM	Portable ATS
Cat XQ60 - T4F	EBOSS 400	Fuel Tanks	Asco 400 A
MQ70	Semi Hauled	251 gal	Asco 600 A
S120	Cat XQ500	552 gal	Trystar 1200 A
Cat XQ125 - T4F	Cat XQ570 - T4F	1000 gal	Cabinet Breakers
MQ125	Cat XQ800	2388 gal	Trystar 3000
SDG125 - T4F	Cat XQ1000	5815 gal	I Line Panels
MQ150	Cat XQ1140 - T4F	12,472 gal	Trystar 1200 A
S180 - T4F	Cat XQ2000	Load Banks	Trystar 3000 A
MQ180	Chillers	Mosebach XS400	Distribution
WSP220	100-500 Ton Capacity	Mosebach XL2000-B	Ericson 50 A
Cat XQ230 -T4F	Air Conditioner	Crestchic 3300 kVA	Trystar 400 A
Cat XQ300	1 Ton	Fully Loaded Trailer	Trystar 1500
Cat XQ330 - T4F	5 Ton	Transformers	Cables & Pigtails
Cat XQ400	12 Ton	Trystar TT150	35-600A / 600-15,000 VAC
Cat XQ425 - T4F	30 Ton	Vantran 2500 kVA	3-100 ft
Heaters	Our heaters are designed to provide heat in harsh conditions with two independently operating heater units providing up to a combined 1,000,000 BTUs of heat. With a Fluid Containment System (FCS) and a single cell, double wall steel fuel tank, this heater is a top choice for worry free jobsites.		



